Brain Research, 444 (1988) 407–409
Elsevier

Author Index

Alexander, N., Kogosov, E. and Haun, C.K., Sinoaortic denervation changes catecholamines in caudate-putamen of rats, 320
Amadori, A., see Ferri, G.-L., 383
Arendash, G.W., see Mouton, P.R., 104

Bacher, J.D., see Willison, H.J., 10
Baskin, D.G., see Bohannon, N.J., 205
Bastone, A., see Ferri, G.-L., 383
Baudry, M., see Staubli, U., 153
Bauer, R.M., see Waldrop, T.G., 84
Bédard, P.J., see Filion, M., 165
Besson, J.-M., see Weil-Fugazza, J., 374
Björklund, A., see Divac, I., 371
Bohannon, N.J., Corp, E.S., Wilcox, B.J., Figlewicz, D.P., Dorsa, D.M. and Baskin, D.G., Localization of binding sites for insulin-like growth factor-I (IFG-I) in the rat brain by quantitative autoradiography, 205
Bowersox, S., see Mignot, E., 184
Bryan Jr., R.M. and Lehman, R.A.W., Cerebral glucose utilization after aversive conditioning during conditioned fear in the rat, 17
Burnstock, G., see Dhital, K.K., 33

Calcagnetti, D.J., see Fanselow, M.S., 147
Callahan, M.F., Cunningham, J.T., Kirby, R.F., Johnson, A.K. and Gruber, K.A., Role of the anteroventral third ventricle (AV3V) region of the rat brain in the pressor response to γ_2-melanocyte-stimulating hormone (γ_2-MSH), 177
Campbell, G.A., see Eckardt, M.J., 53
Carels, C. see Van der Glas, H.W., 284
Chan, J., see Pickel, V.M., 247
Corp, E.S., see Bohannon, N.J., 205
Coyle, J.T., see Murphy, T.H., 325
Cudennec, A., Duverger, D., Nishikawa, T., McRae-Degueurce, A., MacKenzie, E.T. and Scatton, B., Influence of ascending serotonergic pathways on glucose use in the conscious rat brain. I. Effects of electrolytic or neurotoxic lesions of the dorsal and/or median raphé nucleus, 214
Cudennec, A., Duverger, D., Serrano, A., Scatton, B. and MacKenzie, E.T., Influence of ascending serotonergic pathways on glucose use in the conscious rat brain. II. Effects of electrical stimulation of the rostral raphé nuclei, 227
Cunningham, J.T., see Callahan, M.F., 177
Curthoys, I.S., see Smith, P.F., 295
Curthoys, I.S., see Smith, P.F., 308

Dahl, D., see Ferri, G.-L., 383
De Laat, A., see Van der Glas, H.W., 284
Dement, W.C., see Mignot, E., 184
Dhital, K.K., Gerli, R., Lincoln, J., Milner, P., Tanganelli, P., Weber, G., Fruschelli, C. and Burnstock, G., Increased density of perivascular nerves to the major cerebral vessels of the spontaneously hypertensive rat: differential changes in noradrenaline and neuropeptide Y during development, 33
Divac, I., Mogenson, J. and Björklund, A., Strain differences in catecholamine content of pigeon brains, 371
Dorsa, D.M., see Bohannon, N.J., 205
Doty, R.L., Ferguson-Segall, M., Lucki, I. and Kreider, M., Effects of intrabulbar injections of 6-hydroxydopamine on ethyl acetate odor detection in castrate and non-castrate male rats, 95
Dunn, A.J., see Mouton, P.R., 104
Duverger, D., see Cudennec, A., 214
Duverger, D., see Cudennec, A., 227

Eckardt, M.J., Campbell, G.A., Marietta, C.A., Majchrowicz, E. and Weight, F.F., Acute ethanol administration selectively alters localized cerebral glucose metabolism, 53

Fanselow, M.S., Calcagnetti, D.J. and Helmstetter, F.J., Peripheral versus intracerebroventricular administration of quarternary naltrexone and the enhancement of pavlovian conditioning, 147
Ferguson-Segall, M., see Doty, R.L., 95
Ferri, G.-L., Zareh, S., Amadori, A., Bastone, A., Sbraccia, M., Dahl, D. and Frontali, N., 2,5-Hexanedione-induced accumulations of neurofilament-immunoreactive material throughout the rat autonomic nervous system, 383
Figlewicz, D.P., see Bohannon, N.J., 205
Filion, M., Tremblay, L. and Bédard, P.J., Abnormal influences of passive limb movement on the activity of globus pallidus neurons in parkinsonian monkeys, 165
Frontali, N., see Ferri, G.-L., 383
Frostholm, A., Rotter, A., 133
Fruschelli, C., see Dhital, K.K., 33

Gerli, R., see Dhital, K.K., 33
Gibbins, I.L. and Morris, J.L., Co-existence of immunoreactivity to neuropeptide Y and vasoactive intestinal peptide in non-noradrenergic axons innervating guinea pig cerebral arteries after sympathectomy, 402
Godefroy, F., see Weil-Fugazza, J., 374
Goh, Y., see Matsumura, H., 265
Gruber, K.A., see Callahan, M.F., 177
Guilleminault, C., see Mignot, E., 184

Haun, C.K., see Alexander, N., 320
Hayaishi, O., see Matsumura, H., 265
Heisler, S., see Pennefather, P.S., 346
Helmstetter, F.J., see Fanselow, M.S., 147
Hu, X.-T. and Wang, R.Y., Disinhibition of nucleus accumbens neurons by the dopamine D_2 receptor agonist LY-141965: prevented by 6-OHDA pretreatment, 389

Ide, C., see Onodera, S., 273
Ihara, N., see Ueda, S., 361
Iwai, E. and Yukie, M., A direct projection from hippocampal field CA1 to ventral area TE of inferotemporal cortex in the monkey, 397
Iwamoto, G.A., see Waldrop, T.G., 84

James, M.D., see MacKenzie, F.J., 75

Joh, T.H., see Pickel, V.M., 247
Johnson, A.K., see Callahan, M.F., 177
Johnson, D., Seeldrayers, P.A. and Weiner, H.L., The role of mast cells in demyelination. 1. Myelin proteins are degraded by mast cell proteases and myelin basic protein and P_2 can stimulate mast cell degranulation, 195
Johnson Jr., E.M., see Laing, N.G., 351
Juorio, A.V. and Sloley, B.D., The presence of tyramine and related monoamines in the nerve cord and some other tissues of the lobster, *Homarus americanus*, 380

Kása, P., see Szerdahelyi, P., 356
Kersting, U., see Lehmenkühler, A., 181
Kim, S.U., see Yong, V.W., 59
Kirby, R.F., see Callahan, M.F., 177
Kobayashi, M., see Koshikawa, N., 394
Kogosov, E., see Alexander, N., 320
Koshikawa, N., Tomiyama, K., Omiya, K. and Kobayashi, M., Ketamine anaesthesia has no effect on striatal dopamine metabolism in rats, 394
Kreider, M., see Doty, R.L., 95
Kurihara, K., see Nakamura, M., 159

Laing, N.G., Osborne, P.A. and Johnson Jr., E.M., Muscle spindle number is normal in guinea pigs with reduced dorsal root ganglia following in utero deprivation of nerve growth factor, 351
Lam, D.M.K., see Watt, C.B., 366
Larson, J., see Staubli, U., 153
Lehman, R.A.W., see Bryan Jr., R.M., 17
Lehmenkühler, A., Kersting, U. and Nicholson, C., Diffusion of penicillin in agar and cerebral cortex of the rat, 181
LeVine, S.M. and Macklin, W.B., Biotin enrichment in oligodendrocytes in the rat brain, 199
Li, T., see Watt, C.B., 366
Lincoln, J., see Dhital, K.K., 33
Liron, Z., Wong, E. and Roberts, E., Studies on uptake of γ-aminobutyric acid by mouse brain particles; toward the development of a model, 119
Lohof, A.M., see Matsumoto, R.R., 67
Lucki, I., see Doty, R.L., 95
Lynch, G., see Staubli, U., 153

MacDonald, J.F., see Pennefather, P.S., 346
MacKenzie, E.T., see Cudennec, A., 214
MacKenzie, E.T., see Cudennec, A., 227
MacKenzie, F.J., James, M.D. and Wilson, C.A., Changes in dopamine activity in the zona incerta (ZI) over the rat oestrous cycle and the effect of lesions of the ZI on cyclicity: further evidence that the incerto-hypothalamic tract has a stimulatory role in the control of LH release, 75
Macklin, W.B., see LeVine, S.M., 199
Maderdrut, J.L., Oppenheim, R.W. and Prevette, D., Enhancement of naturally occurring cell death in the sympathetic and parasympathetic ganglia of the chicken embryo following blockade of ganglionic transmission, 189
Majchrowicz, E., see Eckardt, M.J., 53
Malouf, A.T., see Murphy, T.H., 325
Manceau, V., see Weil-Fugazza, J., 374
Marietta, C.A., see Eckardt, M.J., 53
Matsumoto, R.R., Lohof, A.M., Patrick, R.L. and Walker, J.M., Dopamine-independent motor behavior following microinjection of rimorphin in the substantia nigra, 67
Matsumura, H., Goh, Y., Ueno, R., Sakai, T. and Hayaishi, O., Awaking effect of PGE_2 microinjected into the preoptic area of rats, 265
McRae-Degueurce, A., see Cudennec, A., 214
Meyer, E.M., see Mouton, P.R., 104
Mignot, E., Guilleminault, C., Bowersox, S., Rappaport, A. and Dement, W.C., Effect of α_1-adrenoceptors blockade with prazosin in canine narcolepsy, 184
Millard, W., see Mouton, P.R., 104
Milner, P., see Dhital, K.K., 33
Mogensen, J., see Divac, I., 371
Morris, J.L., see Gibbins, I.L., 402
Mouton, P.R., Meyer, E.M., Dunn, A.J., Millard, W. and Arendash, G.W., Induction of cortical cholinergic hypofunction and memory retention deficits through intracortical AF64A infusions, 104
Murphy, T.H., Malouf, A.T., Sastre, A., Schnaar, R.L. and Coyle, J.T., Calcium-dependent glutamate cytotoxicity in a neuronal cell line, 325

Nakamura, M. and Kurihara, K., Temperature dependence of amiloride-sensitive and -insensitive components of the rat taste nerve response of NaCl, 159
Nelson, D.O., Altered angiotensin II sensitivity of neurons in the organum vasculosum lamina terminalis region of the spontaneously hypertensive rat, 46
Nicholson, C., see Lehmenkühler, A., 181
Nishikawa, T., see Cudennec, A., 214

Omiya, K., see Koshikawa, N., 394
Onodera, S. and Ide, C., Tentative identification of arterial baroreceptors associated with arteriovenous anastomoses, 273
Oppenheim, R.W., see Maderdrut, J.L., 189
Osborne, P.A., see Laing, N.G., 351

Patrick, R.L., see Matsumoto, R.R., 67
Paul, S.M., see Suzdak, P.D., 340
Pennefather, P.S., Heisler, S. and MacDonald, J.F., A potassium conductance contributes to the action of somatostatin-14 to suppress ACTH secretion, 346
Peschanski, M., see Weil-Fugazza, J., 374
Pickel, V.M., Joh, T.H. and Chan, J., Substance P in the rat nucleus accumbens: ultrastructural localization in axon terminals and their relation to dopaminergic afferents, 247
Pleasure, D.E., see Yong, V.W., 59
Prevette, D., see Maderdrut, J.L., 189

Quarles, R.H., see Willison, H.J., 10

Ransom, R.W. and Stec, N.L., Inhibition of *N*-methyl-D-aspartate evoked sodium flux by MK-801, 25
Rappaport, A., see Mignot, E., 184
Roberts, E., see Liron, Z., 119
Rotter, A. and Frostholm, A., Cerebellar benzodiazepine receptors: cellular localization and consequences of neurological mutations in mice, 133

Sakai, T., see Matsumura, H., 265
Sano, Y., see Ueda, S., 361
Sastre, A., see Murphy, T.H., 325
Sbraccia, M., see Ferri, G.-L., 383
Scatton, B., see Cudennec, A., 214
Scatton, B., see Cudennec, A., 227
Schnaar, R.L., see Murphy, T.H., 325

Schwartz, R.D., see Suzdak, P.D., 340
Seeldrayers, P.A., see Johnson, D., 195
Serrano, A., see Cudennec, A., 227
Skolnick, P., see Suzdak, P.D., 340
Sloley, B.D., see Juorio, A.V., 380
Smith, P.F. and Curthoys, I.S., Neuronal activity in the contralateral medial vestibular nucleus of the guinea pig following unilateral labyrinthectomy, 295
Smith, P.F. and Curthoys, I.S., Neuronal activity in the ipsilateral medial vestibular nucleus of the guinea pig following unilateral labyrinthectomy, 308
Staubli, U., Larson, J., Thibault, O., Baudry, M. and Lynch, G., Chronic administration of a thiol-proteinase inhibitor blocks long-term potentiation of synaptic responses, 153
Stec, N.L., see Ransom, R.W., 25
Strumwasser, F., see Woolum, J.C., 1
Suzdak, P.D., Schwartz, R.D., Skolnick, P. and Paul, S.M., Alcohols stimulate γ-aminobutyric acid receptor-mediated chloride uptake in brain vesicles: correlation with intoxication potency, 340
Szerdahelyi, P. and Kása, P., Intraventricular administration of the cholinotoxin AF64A increases the accumulation of aluminum in the rat parietal cortex and hippocampus, but not in the frontal cortex, 356

Tanabe, T., see Ueda, S., 361
Tanganelli, P., see Dhital, K.K., 33
Thibault, O., see Staubli, U., 153
Tomiyama, K., see Koshikawa, N., 394
Trapp, B.D., see Willison, H.J., 10
Tremblay, L., see Filion, M., 165
Turek, F.W., see Van Reeth, O., 333

Ueda, S., Ihara, N., Tanabe, T. and Sano, Y., Reinnervation of serotonin fibers in the denervated rat subcommissural organ by fetal raphe transplants. An immunohistochemical study, 361
Ueno, R., see Matsumura, H., 265

Van der Glas, H.W., De Laat, A., Carels, C. and Van Steenberghe, D., Interactive periodontal and acoustic influences on the masseteric post-stimulus electromyographic complex in man, 284
Vanderhaeghen, J.J., see Van Reeth, O., 333
Van Reeth, O., Vanderhaeghen, J.J. and Turek, F.W., A benzodiazepine antagonist, Ro 15-1788, can block the phase-shifting effects of triazolam on the mammalian circadian clock, 333
Van Steenberghe, D., see Van der Glas, H.W., 284

Waldrop, T.G., Bauer, R.M. and Iwamoto, G.A., Microinjection of GABA antagonists into the posterior hypothalamus elicits locomotor activity and a cardiorespiratory activation, 84
Walker, J.M., see Matsumoto, R.R., 67
Wang, R.Y., See Hu, X.-T., 389
Watt, C.B., Li, T., Lam, D.M.K. and Wu, S.M., Quantitative studies of enkephalin's coexistence with γ-aminobutyric acid, glycine and neurotensin in amacrine cells of the chicken retina, 366
Weber, G., see Dhital, K.K., 33
Weight, F.F., see Eckardt, M.J., 53
Weil-Fugazza, J., Peschanski, M., Godefroy, F., Manceau, V. and Besson, J.-M., Absence of long-term changes in biochemical markers of monoaminergic systems afferent to the excitotoxically neuron-depleted somatosensory thalamus, 374
Weiner, H.L., see Johnson, D., 195
Wilcox, B.J., see Bohannon, N.J., 205
Willison, H.J., Trapp, B.D., Bacher, J.D. and Quarles, R.H., The expression of myelin-associated glycoprotein in regenerating cat sciatic nerve, 10
Wilson, C.A., see MacKenzie, F.J., 75
Wong, E., see Liron, Z., 119
Woolum, J.C. and Strumwasser, F., Calcium changes in isolated peptidergic neurons during activation by a cAMP analog, 1
Wu, S.M., see Watt, C.B., 366

Yong, V.W., Kim, S.U. and Pleasure, D.E., Growth factors for fetal and adult human astrocytes in culture, 59
Yukie, M., see Iwai, E., 397

Zareh, S., see Ferri, G.-L., 383